

MASKED DANGERS OF FLUORIDE

IT'S USED IN TAP & BOTTLED WATER, TOOTH PASTES, AND MANY OTHER PRODUCTS THAT SLOWLY KILLS HUMANS AFTER MAKING THEM SUBMISSIVE



As indicated by the "Information Liberation" article regarding the things we are not supposed to know...

Author Stephen (1995) stated "At the end of World War II, the US government sent Charles Eliot Perkins, a research worker in chemistry, biochemistry, physiology and pathology, to take charge of the vast Farben chemical plants in Germany. The German chemists told Perkins of a scheme which they had devised during the war and had been adapted by the German General Staff. The German chemists explained of their attempt to control the population in any given area through the mass medication of drinking water with sodium fluoride, a tactic used in German and Russian prisoner of war camps to make the prisoners "stupid and docile"(Stephen 1995).



Farben had developed plans during the war to fluoridate the occupied countries because it was found that fluoridation caused slight damage to a specific part of the brain, making it more difficult for the person affected to defend his freedom and causing the individual to become more docile towards authority.

Fluoride remains one of the strongest anti-psychotic substances known, and is contained in twenty-five percent of the major tranquilizers. It may not seem surprising that Hitler's regime practiced the concept of mind control through

chemical means, but the American military continued Nazi research, exploring techniques to incapacitate an enemy or medicate an entire nation. As stated in the Rockefeller Report, a Presidential briefing on CIA activities, "the drug program was part of a much larger CIA program to study possible means of controlling human behavior."(as cited by Information Liberation, 2006)


PUBLIC NOTICE

PLEASE BE ADVISED


SODIUM FLUORIDE
(found in most bottled/tap water and foods)

- KILLS RODENTS
- CAUSES CANCER
- LOWERS YOUR IQ
- CAUSES APATHY
- USED BY NAZIS
- IN YOUR WATER

www.infowars.com



Fluoxetine is the generic version of Prozac that is safe for dogs and cats suffering from depression, anxiety, obsessive compulsive behaviors, and panic disorders. It is an SSRI, or selective serotonin reuptake inhibitor.



There is a very sick and diabolical mentality that exposes children to this poison just to make more money



CHECK ALL PRODUCTS...
WE AND OUR CHILDREN ARE SLOWLY
BEING POISONED



FDA APPROVED!

Distributed by J.M. Murray Center, Inc., 823 NYS RT 13, Cortland, NY 13045

Drug Facts

Active Ingredient	Purpose
Sodium Fluoride 0.24% w/w (0.15% w/v Fluoride Ion)	Anticavity Toothpaste

Use Helps protect against cavities

Warnings
Keep out of the reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions • Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor. Children under 6 years of age: use a pea-sized amount and instruct in good brushing and rinsing habits to reduce swallowing. Supervise children as necessary until capable of using without supervision. Children under 2 years of age: Consult a dentist or doctor.

Inactive Ingredients: Sorbitol, Hydrated Silica, Water, Glycerin, PEG 12, Sodium Lauryl Sulfate, Cellulose Gum, Flavor, Sodium Benzoate, Disodium Phosphate, Sodium Saccharin, Blue 1.

FLORIDE DELIBERATELY MEANT TO BE

THE SILENT KILLER




BOTTLED AND TAP

Bottled water brands	Batch 1	Batch 2	Batch 3	Fluoride concentration (mg F/L)
Kinley	0.08	0.09	0.08	0.08±0.01
Bisleri	0.06	1.05	0.99	0.70±0.56
Kemp	0.15	0.20	0.17	0.17±0.03
Omker	0.11	0.14	0.11	0.12±0.02
Flair	0.10	0.12	0.15	0.12±0.03
Aquafina	0.07	0.06	0.08	0.07±0.01
Mc Dowells	0.12	0.20	0.16	0.16±0.04
Royal Challenge	0.10	0.18	0.15	0.14±0.04
Crystal	0.25	0.36	0.37	0.33±0.07
Kingfisher	0.11	0.09	0.10	0.10±0.01

US Fluoridation Status

Percentage of population receiving fluoridation



Source: Centers for Disease Control and Prevention